

TENDER DOCUMENT

(CONSTRUCTION OF BACK DROP BRICK WALL WITH 4 TO 5
STEPS FOR SNAPPING GROUP PHOTO NEAR TRAINING
HALL AT ICAR-CICR, NAGPUR)



2024-25



भा.कृ.अनु.प. – कपासअनुसंधानसंस्थान, नागपुर

पोस्टबैगनं. 2, शंकरनगरपोस्टऑफिसनागपुर-४४००१०

ICAR-CENTRAL INSTITUTE FOR COTTON RESEARCH

POST BAG NO.2, SHANKAR NAGAR POST OFFICE, NAGPUR-440010

ISO 9001 – 2015 Certified

-कार्यालय-

खापरी फाटा के पास, पांजरी वर्धा रोड, नागपुर, - ४४११०८

(फोन, नं.07103&2755/36/38/39फैक्स,नं; 07103-275529)

Panjari, Near KhapriPhata, Wardha Road, Nagpur 441108

(Tel : 07103-275536, Fax : 07103-275529, EPABX : 07103-275637, 38, 39, 275617)

Website : www.cicr.org.in. E-mail : cicrnagpur@gmail.com



भा.कृ.अनु.प. - केन्द्रीय कपास अनुसंधान संस्थान
पोस्ट बैग सं. 2, शंकरनगर पोस्ट ऑफिस, नागपुर - 440010

ICAR - CENTRAL INSTITUTE FOR COTTON RESEARCH

POST BAG NO 2, SHANKAR NAGAR POST OFFICE NAGPUR - 440 010(M.S) INDIA
Tel. Phone: 07103-275536, Fax: 07103-275529, EPBAX: 07103275637/38/39/49/17

Website: www.cicr.org.in, E-mail: cicrnagpur@gmail.com

{Location: Near KhapariPhata, Panjari, Wardha Road, Nagpur - 441 108}



An ISO 9001-2015 Certified

GST No. 27AAAAI1830P3ZH

F. No. 02/ME Cell/Group photo point/2024-25

Dated : 24-12-2024

SUB: E-TENDER FOR "CONSTRUCTION OF BACK DROP BRICK WALL WITH 4 TO 5 STEPS FOR SNAPPING GROUP PHOTO NEAR TRAINING HALL AT ICAR-CICR, PANJARI, KHAPRI PHATA, WARDHA ROAD, NAGPUR".

1. E-tenders are hereby invited to behalf of the Director, ICAR-CICR, Nagpur for the contract of "CONSTRUCTION OF BACK DROP BRICK WALL WITH 4 TO 5 STEPS FOR SNAPPING GROUP PHOTO NEAR TRAINING HALL AT ICAR-CICR, PANJARI, KHAPRI PHATA, WARDHA ROAD, NAGPUR" through GeM-CPP Portal. The details of Scope of work, Schedule of requirements and terms & conditions of the contract are given in the enclosed Annexures.
2. Details of the e-tender are given below:

CRITICAL DATA SHEET
(SECTION)

(E-TENDER)

| | |
|---|--|
| E-TENDER NUMBER | F. No. 02/ME Cell/Group photo point/2024-25 |
| E-TENDER COST | Free of Cost. |
| DESCRIPTION OF WORK | CONSTRUCTION OF BACK DROP BRICK WALL WITH 4 TO 5 STEPS FOR SNAPPING GROUP PHOTO NEAR TRAINING HALL AT ICAR-CICR, PANJARI, KHAPRI PHATA, WARDHA ROAD, NAGPUR |
| TYPE OF E-TENDER BID SUBMISSION START DATE AND TIME | Two Bid System (Technical & Financial) 03-01-2025 at 11.00 AM onwards |
| BID SUBMISSION END DATE AND TIME | 24-01-2025 up to 16.00 PM |
| DATE AND TIME OF OPENING OF TENDERS (TECHNICAL BID) | 27-01-2025 at 14.30 PM (Tentative) |
| DATE AND TIME OF OPENING OF E-TENDERS (FINANCIAL BID) | Will be intimated later |
| BID VALIDITY | 180 days from the date of Technical Bid opening |
| EMD | Rs.20,000/- (Rupees Twenty Thousand Only) in the form of Demand Draft in favour of Director, ICAR-CICR, Nagpur. |
| EMD VALIDITY | 90 days from the date of Technical bid opening |
| SECURITY DEPOSIT (SD)/PERFORMANCE BOND (PB) | 5% of the total contract value (Annually) DD/ Bank guarantee in favour of Director, ICAR-CICR, Nagpur. After the award of the contract, the Successful Bidder should be submitted the hard copy of the original DD/ Bank guarantee to this Institute within 15 days of the award of the contract |


| | |
|---------------------|---|
| VALIDITY OF SD/PB | 180 days after the expiry of the contract |
| Details of e-tender | E-Tender (Technical & Financial) uploaded on GeM-CPP Portal https://eprocure.gov.in/epublishing/app and cicr website www.cicr.org.in from 03-01-2025 to 24-01-2025 upto 16.00 PM |

Scope of the proposed work and other requirements connected to the contract, including formats of the bids, terms and conditions of the contract, etc. are enclosed to this E-Tender Invitation, as per the following details:

| S.N. | Description | ANNEXURE | Page No. |
|------|--|----------------|----------|
| 1 | Instructions For Online Bid Submission | ANNEXURE-I | 04 |
| 2 | Terms & Conditions | ANNEXURE-II | 09 |
| 3 | Price Bid | ANNEXURE- III | 11 |
| 4 | Firm's Banking Information | ANNEXURE- IV | 12 |
| 5 | Tender Acceptance Letter | ANNEXURE-V | 13 |
| 6 | Instructions For Online Bid Submission | ANNEXURE- VI | 14 |
| 7 | Details of EMD | ANNEXURE- VII | 17 |
| 8 | Details of Work/Measurement sheet | ANNEXURE- VIII | 18 |
| 9 | Technical Specifications | ANNEXURE- IX | 23 |
| 10 | Drawing | ANNEXURE- X | 26 |
| 11 | Technical Bid (Checklist) | SCHEDULE - I | 06 |
| 12 | Undertaking | SCHEDULE - II | 08 |

4. The entire e-tender documents including all Annexures, except the Financial Bid in Annexure IX, will be part of the Technical Bid which also must contain the EMD and all other requisite documents called for in the e- tender. Both bids (technical and financial) are to be submitted through E-tendering portal www.eprocure.gov.in. & EMD must be submitted to ICAR-CICR, Near Khapri Phata, Panjari Farm, Wardha Road, Nagpur – 441108 before the last date of submission of E-Tender. Special instructions to the Contractors/Bidders for the submission of the bids can be downloaded from GeM-CPP Portal (www.eprocure.gov.in/epublishing/app) and Institute website www.cicr.org.in.

Yours faithfully,



(Puneet Kumar)

Administrative Officer,
ICAR-CICR, Nagpur

INSTRUCTIONS FOR ONLINE BID SUBMISSION

1. The Tender form/bidder documents may be downloaded from the <https://eprocure.gov.in/eprocure/app>.
2. **Online submission of Bids through** Central Public Procurement Portal (<https://eprocure.gov.in/eprocure/app>) is mandatory. Manual/Offline bids shall not be accepted under any circumstances.
3. Tenderers/bidders are requested to visit the website <https://eprocure.gov.in/eprocure/app> regularly. Any changes/modifications in tender enquiry will be intimated by corrigendum through this website only.
4. In case, any holiday is declared by the Government on the day of opening, the tenders will be opened on the next working day at the same time. The Director, ICAR-CICR, Nagpur has reserved the right to accept or reject any or all the tenders.
5. The interested Firms are required to deposit (in original) **EMD of Rs.20,000/-** in the form of Demand Draft in favour of **THE DIRECTOR, ICAR-CICR payable at Nagpur** on or before **bid opening date and time as mentioned in the Critical Data Sheet**.
6. **Please note that only online Bids will be accepted.**
7. The firms are also required to upload copies of the following documents for Technical eligibility and Evaluation:-

The firms are also required to upload copies of the following documents:

Technical :

1. Scanned copy of Firm's Registration certificate of the firm under the Central Government/ State Government for providing such services.
2. Scanned copy of PAN Card.
3. Scanned copy of GST Number with Registration Certificate.
4. Bank details of the firm.
5. Scanned copy of similar contracts with Government Departments. (Similar civil work).
6. Scanned copy of Income Tax Returns for the last three years (2021-22, 2022-23 & 2023-24)
7. Scanned copy of Profit and loss account & Balance Sheet which are audited & duly certified by the Chartered Accountant for the last three years (2021-22, 2022-23 & 2023-24).
8. Scanned copy of Turnover of the business should be Rs. 60.00 Lakhs per year, to be certified by Chartered Accountant as per Balance Sheets used for ITR filing.
9. Scanned copy of experience of having successfully completed similar kind of works during last 3 years (Similar civil work).
10. Scanned copy of MSME or Udyog Aadhar or NSIC is a must for EMD Exemption otherwise, firms have to furnish EMD.
11. Tender acceptance letter (Annexure-V) is mandatory.


11. Tender acceptance letter (Annexure-V) is mandatory.
12. Scan copy of an undertaking as per attached Format (Schedule – II) duly attested by Notary on a non-judicial stamp paper of value of Rs. 500/- (Rupees Five Hundred Only) regarding their non-blacklisting by any of the Government Departments, Public Sector Undertakings and/or by Central Vigilance commission during the last three years.

All necessary documents in support of the details for Sl. No. 1 to 12 must accompany the technical bid. The bid is liable to be rejected in case documents are not uploaded in the technical bid on GeM-CPP Portal, documents are incomplete or in case any certification/registration has already expired but is yet to be renewed. Only essential and necessary valid documents are to be uploaded in the technical bid. Please avoid uploading extraneous and irrelevant documents.

Note: The above documents may be uploaded in the given sequence only, with no unnecessary documents.

Financial Bid:-

- a) Price Bid as BOQ XXX.xls


24/12/24

ADMINISTRATIVE OFFICER

Technical Bid**Schedule - I**

Checklist of documents to be submitted with tender documents along with the page no. failing which the bid will be liable to be rejected:-

| Sr. No | Documents (Strictly) as per details below | Whether submitted or not | If submitted, mention file name & page no. |
|---------------|--|---------------------------------|---|
| 1 | Scanned copy of Firm's Registration certificate of the firm under the Central Government/ State Government for providing such services. | | |
| 2 | Scanned copy of PAN Card | | |
| 3 | Scanned copy of GST Number with Registration Certificate | | |
| 4 | Bank details of the firm. | | |
| 5 | Scanned copy of similar contracts to Government Departments.(Similar civil work). | | |
| 6 | Scanned copy of Income Tax Returns for the last three years (2021-22, 2022-23 & 2023-24) | | |
| 7 | Scanned copy of Profit and loss account & Balance Sheet which are audited & duly certified by the Chartered Accountant for the last three years (2021-22, 2022-23 & 2023-24) | | |
| 8 | Scanned copy of Turnover of the business should be Rs. 60.00 Lakhs per year, to be certified by Chartered Accountant as per Balance Sheets used for ITR filing. | | |
| 9 | Scanned copy of experience of having successfully completed similar kind of works during last 3 years (Similar civil work). | | |
| 10 | Scanned copy of MSME or Udyog Aadhar or NSIC is a must for EMD Exemption otherwise, firms have to furnish EMD. | | |
| 11 | Tender acceptance letter (Annexure-V) is mandatory. | | |
| 12 | Scanned copy of an undertaking as per attached Format (Schedule – II) duly attested by Notary on a non-judicial stamp paper of value of Rs. 500/- (Rupees Five Hundred Only) regarding their non-blacklisting by any of the Government Departments, Public Sector Undertakings and/or by Central Vigilance commission during the last three years. | | |

• Authority Signature

Name & Address of the Firm

Telephone No.

Mobile No.

Email :

Note: The information required at Sl. No. 1 to 12 must be accompanied with the certified copies of the document(s) and attached as per the serial number failing which the tender is liable to be rejected. No other documents need to be attached with the tender form.

UNDERTAKING

I/We have read and understood all the terms and conditions of the tender document contained in the present tender form for contract and I/We do hereby agree and abide by with all the terms and condition of this tender document.

I/We do hereby declare that all the details provided in this tender are true to the best of my/our knowledge and belief and any misrepresentation of facts will render me/us liable to any action as may be deemed fit by ICAR-Central Institute for Cotton Research, Nagpur.

I/We do hereby also accept that the Director, ICAR-CICR, Nagpur has the right to accept or reject this application and not to issue invitation to Tender to me/us.

I/We undertake to communicate promptly to ICAR-CICR, Nagpur regarding any changes in the condition or working of the firm. It is certified that we have not been blacklisted by any organization of Government of India including Central Vigilance commission (CVC) in the last three years. The undersigned is fully authorized to sign and submit this application form on behalf of the organization, he/she represent. We authorize ICAR-CICR, Nagpur to approach individuals, employees, firms and corporations to verify our competence and general reputation.

Signature: -

Name: -

Designation: -

Address: -

Place: -

Dated: -

TERMS & CONDITIONS

1. The tenderer shall quote rates, which will include the supply, installation & other incidental charges GST, if any, should be indicated.
2. The rates should be quoted as per the BOQ uploaded on the GeM-CPP Portal (reference may be obtained from Annexure-III). GST, if any, should be indicated separately. It must be noted that the contract shall be awarded to the firm which fulfils all the required terms and conditions and remains lowest one (L-I).
3. The firm must also possess valid PAN No. & GST registration number and a copy of the same must also be enclosed with the tender document.
4. Copy of the Income Tax Statement for the financial year 2021-22, 2022-23 & 2023-24, may be furnished.
5. The firm should have experience for over 03 (Three) years in the trade with the business turnover of not less than Rs. **60.00 Lakhs** per annum for 2021-22, 2022-23 & 2023-24. Chartered Accountant certified profit and Loss account Balance sheet to this effect may be enclosed.
6. Modification in the tender documents after the closing date is not permissible.
7. The successful firm shall **commence work** within 21 days from the date of confirmed **work order** and if the work not supplied in time then EMD shall be forfeited. The rates quoted shall be valid for one year from the date of opening of tender.
8. The contractor/bidder or his representative may contact the undersigned at **Tel. No. 07103-275536 Extn:113** for any further clarification. No variation in terms of quality of the items shall be entertained or else EMD/Security deposit shall be forfeited.
9. The bidder is advised to visit the site of works at his own expenses and obtain all information that may be necessary for preparing the quotation. Tenderer may submit the quotation by accepting that he has inspected the site or he is aware of all conditions.
10. The Director, ICAR-CICR, shall have the right to reject all or any of the offers, accept more than one offer, and assign part of the job without assigning any reason.
11. Merely quoting of lowest rates does not mean that "work order" shall be given to that firm. The competent authority will finally decide on the basis of quality & performance of past work/ completion.
12. The interested Firms are required to deposit an **Earnest Money Deposit of Rs. 20,000/-** amount mentioned against item in the form of Demand Draft (in original) from any of the Nationalized Bank in favour of **THE DIRECTOR, ICAR-CICR payable at Nagpur** may be addressed to **Senior Administrative Officer, ICAR-CICR, Near Khapri Phata, Panjari Farm Wardha Road, Nagpur – 441108 (Maharashtra)** on or before **bid opening date and time as mentioned in the Critical Data Sheet**. No quotation shall be considered without the earnest money deposit. Demand draft drawn in favour of any officer other than 'THE

DIRECTOR, ICAR-CICR payable at Nagpur” will not be accepted and the tender will be rejected. The earnest money will be refunded only after the finalization of the tender/bid and no interest will be paid on earnest money. The request letter for refund of EMD & performance security is to be submitted by the firm.

13. Rates once finalized will not be enhanced/reduced during the period of the contract.
14. In case, the successful bidder shows inability to accept work order/contract at any stage, after the contract is finalized and awarded, for whatever the reason, to honor the contract, the earnest money /performance security deposited would be forfeited.
15. The Director, ICAR-CICR reserves the right to cancel the contract at any time during the contract period without giving any reason.
16. The firm, to whom the tender awarded, will have to deposit the **performance security of 5%** of the total contract value (Annually) DD/ Bank guarantee in favour of Director, ICAR-CICR, Nagpur. After the award of the contract, the Successful Bidder should submit the hard copy of the original DD/ Bank guarantee to this Institute within 15 days of the award of the contract. If the services are not found to be satisfactory, the performance security is liable to be forfeited. No interest will be paid on performance security.
17. If any dispute(s) arises between ICAR-CICR and the firm with reference to the contract, ICAR-CICR will decide it and its decision will be final and binding on the firms.
18. Bid Validity: 180 days
19. Payment:- No advance or part payment will be given. The payment will be released after satisfactory completion of the work and certificate from the Indenter.

Payment Terms: In order to facilitate for speedy settlement of payment you are requested to furnish the following details as below:

1. **Name of the firm:**
2. **Name of the Bank:**
3. **IFSC Code of Bank:**
4. **Name of the Account & Account No.:**
5. **Branch Code:**
6. **Amount to be paid:**
7. **E-mail address of the party:**
8. **GST No. and Pan No. Copies**

‘Terms & Conditions are acceptable’

Dated

(Authorized signatory of the firm)

Annexure-III

(Reference for BOQ) (To be quoted in the format provided on GeM-CPP Portal)

Price bid for “**Construction of back drop brick wall with 4 to 5 steps for snapping group photo near training hall at ICAR-CICR, panjari, khapriphata, wardha road, Nagpur.**”

| Sl. No. | Name of the Work | Quantity | Price per unit (in figures/words) (as per BOQ) |
|---------|---|----------|--|
| 1. | Construction of back drop brick wall with 4 to 5 steps for snapping group photo near training hall at ICAR-CICR, panjari, khapriphata, wardha road, Nagpur as per the enclosed specification as Annexure – IX and drawing of construction as Annexure - X | 1 Unit | |

- Items should be of reputed make and suitable for high end elite users.
- GST as applicable should be included in the column provided for basic rate.
- **The work is to be executed at this Institute at ICAR-CICR, Panjari, Khapri Phata, Wardha road, Nagpur-441108**

Note: The above mentioned Financial Proposal/Commercial bid format is provided as BoQ_XXXX/xls along with this tender document at <https://eprocure.gov.in/eprocure/app>. Bidders are advised to download this BoQ_XXXX.xls as it is and quote their offer/rates in the permitted column and upload the same in the Financial bid. **Bidder shall not tamper/modify downloaded price bid template in any manner.** In case if the same is found to be tampered/modified in any manner, tender will be completely rejected and EMD would be forfeited and tenderer is liable to be banned from doing business with ICAR-CICR, Nagpur.

**ICAR-CENTRAL INSTITUTE FOR COTTON RESEARCH,
NEAR KHAPRI PHATA, PANJARI FARM, WARDH ROAD, NAGPUR - 441108**

Name of the Firm _____

Registered/Postal Address _____

| | | |
|----|---|--|
| 1 | Permanent Account Number (PAN) | |
| 2 | GST Registration No. | |
| 3 | Bank Details | |
| a) | Bank Name | |
| b) | Branch Address | |
| c) | Account Number | |
| d) | Type of Account (current/saving) MICR No. | |
| e) | IFSC Code | |

Date:

Name of the Authorized Signatory

Place:

Stamp & Signature

TENDER ACCEPTANCE LETTER
(To be given on Company Letter Head)

Date:

To,
The Director,
ICAR-CICR,
Near KhapriPhata, Panjari Farm,
Wardha Road, Nagpur – 441108.

Sub: Acceptance of Terms & Conditions of Tender.

Tender Reference No. _____

Name of Tender/Work:

Dear Sir,

1. I/ We have downloaded/obtained the tender document(s) for the above mentioned 'Tender/work' from the web site(s) namely:

As per your advertisement, given in the above-mentioned website(s).

2. I/We hereby certify that I/We have read the entire terms and conditions of the tender documents from Page No. _____ to _____ (including all documents like annexure(s), schedule(s), etc...) which form part of the contract agreement and I/We shall abide by the terms/conditions/clauses contained therein.
3. The corrigendum(s) issued from time to time by your department/organization to have also been taken into consideration, while submitting this acceptance letter.
4. I/we hereby unconditionally accept the tender conditions of above-mentioned tender documents/corrigendum(s) in its totality/entirely.
5. I/we do hereby declare that our Firm has not been black-listed/debarred by any Govt. Department/Public sector undertaking.
1. I/we certify that all information furnished by our Firm is true & correct and in the event that the information is found to be incorrect/untrue or found violated, then your department/organization shall without giving any notice or reason therefore or summarily reject that bid or terminate the contract, without prejudice to any other rights or remedy including the forfeiture of the full said earnest money deposit absolutely.

Yours Faithfully,

(Signature of the Bidder with Official Seal)

INSTRUCTIONS FOR ONLINE BID SUBMISSION

The bidders are required to submit soft copies of their bids electronically on the GeM-CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the GeM-CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the GeM-CPP Portal.

More information useful for submitting online bids on the GeM-CPP Portal may be obtained at <https://eprocure.gov.in/eprocure/app>.

REGISTRATION

- Bidders are required to enroll on the e-Procurement module of the GeM-Central Public Procurement Portal (URL <https://eprocure.gov.in/eprocure/app>.) by clicking on the link '**Online bidder Enrollment**' on the GeM-CPP Portal which is free of charge.
- As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the GeM-CPP Portal.
- Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (DSC) (class II or Class III certificates with signing key usage) issued by any certifying authority recognized by CCA India (e.g. Sify/nCode/eMudhra etc.) with their profile.
- Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSC's to others which may lead to misuse.
- Bidder then log into the site through the secured log-in by entering their users ID/password and the password of the DSC/e-Token.

SEARCHING FOR TENDER DOCUMENTS

- There are various search options built in the GeM-CPP Portal. To facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, Organization Name, Location, Date, Value etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as Organization Name, Form of Contract, Location, Date, Other keywords etc. to search for a tender published on the GeM-CPP Portal.
- Once the bidders have selected the tenders they are interested in, they may download the required documents/tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the GeM-CPP Portal to intimate the bidders through SMS/email in case there is any corrigendum issued to the tender document.
- The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification/help from the Helpdesk.

PREPARATION OF BIDS

- **Bidder are requested to visit the site at the institute and discuss with In-charge, Maintenance Cell, ICAR-CICR, Nagpur before preparing the bid, clarify the doubts and understand the requirements.**
- Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents- including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document/schedule and generally, they can be in PDF/XLS/RAR/DWF/JPG formats.
- Bid documents may be scanned with 100 dpi with black and white option which helps in reducing size of the scanned document.
- To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use 'My Space' or 'Other important Documents' area available to them to upload such documents. These documents may be directly submitted from the 'My Space' area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- Bidder should log into the site in advance for bid submission so that they can upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other technical issues.
- The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- Bidder has to select the payment option as 'offline' to pay the tender fee/EMD as applicable and enter details of the instrument.
- Bidder should prepare the EMD as per the instructions specified in the tender document. The original should be posted/couriered/given in person to the concerned official, latest by the last date of bid submission or as specified in the tender documents. The details of the DD/any other accepted instrument, physically sent, should tally with the details available in the scanned copy and the data entered during bid submission time. Otherwise, the uploaded bid will be rejected.
- Bidders are requested to note that they should necessarily submit their financial bids in the Format provided and no other format is acceptable. If the price bid has been given as a standard BoQ format with the tender document, then the same is to be downloaded and to be filled by all the bidders. Bidders are required to download the BoQ file, open it and complete the white colored (unprotected) cell with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

- The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done. Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid opener's public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- Upon the successful and timely submission of bids (i.e. after clicking 'Freeze Bid Submission' in the portal), the portal will give a successful bid submission message and a bid summary will be displayed with the bid no. and the date and time of submission of the bid with all other relevant details.
- The bid summary has to be printed and kept as an acknowledgement of the submission of the bid.

ASSISSTANCE TO BIDDERS

- Any queries relating to the tender documents and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contract person indicated in the tender.
- Any queries relating to the process of online bid submission or queries relating to GeM-CPP Portal in general may be directed to the 24x7 GeM-CPP Portal Helpdesk.

Details of Work & EMD

| Sl. No. | Item | Qty. | Earnest Money Deposit |
|---------|---|--------|-----------------------|
| 1 | Construction of back drop brick wall with 4 to 5 steps for snapping group photo near training hall at ICAR-CICR,panjari, khapriphata, wardha road, Nagpur | 1 Unit | Rs. 20,000/- |

Note: EMD defined on to the Portal is MINIMUM. Bidder has to submit the EMD offline.

- The work is to be executed at this Institute at ICAR-CICR, Panjari, KhapriPhata, Wardha road, Nagpur-441108

Measurement sheet for Construction of back drop brick wall with 4 to 5 steps for snapping group photo near training hall at ICAR-CICR, panjari, khapriphata, wardha road, Nagpur

Details of Work

MEASUREMENT SHEET

| Sr. No. | Item | Nos. | L | B | D | QTY | Unit |
|---------|--|------|-----|-----|------|-------|-----------------|
| 1 | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil. | | | | | | One Cubic Metre |
| | Footing | 6 | 1.4 | 1.7 | 1.5 | 21 | |
| 2 | Filling in plinth with morum | | | | | | One Cubic Metre |
| | Morum | 2 | 4.6 | 3.8 | 0.3 | 10.49 | |
| 3 | Providing dry/ trap/ granite/ quartzite/ gneiss rubble stone soling 15cm to 20cm thick including hand packing & compacting etc complete. | | | | | | One Cubic Metre |
| | Footing | 6 | 1.4 | 1.7 | 0.15 | 2.1 | |
| 4 | Providing and laying in position ready mixed or site batched design mix cement concrete for plain cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana/Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of | | | | | | |

| | | | | | | | | | | | | | |
|----------|--|-----|------|------|------|-------|--|--|--|--|--------------|--------------|--------------------------------|
| | concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering and finishing as per direction of the engineer-in-charge; for the following grades of concrete. Concrete of M15 grade with minimum cement content of 240 kg /cum | | | | | | | | | | | | One Cubic Metre |
| | PCC | 6 | 1.4 | 1.7 | 0.1 | 1.43 | | | | | | | |
| 5 | Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) | | | | | | | | | | | | |
| | Footing | 6 | 1.2 | 1.5 | 0.4 | 4.32 | | | | | | | |
| | Column | 3 | 0.3 | 0.45 | 0.7 | 0.28 | | | | | | | |
| | Column | 3 | 0.3 | 0.45 | 1.7 | 0.69 | | | | | | | |
| | Beam | 4 | 4.7 | 0.3 | 0.45 | 2.54 | | | | | | | |
| | | 3 | 2.6 | 0.3 | 0.45 | 1.05 | | | | | | | |
| | Steps | 0.5 | 9.54 | 0.75 | 0.15 | 0.54 | | | | | | | |
| | | 0.5 | 9.54 | 0.5 | 0.15 | 0.36 | | | | | | | |
| | Steps | 2.5 | 9.54 | 0.45 | 0.15 | 1.61 | | | | | | | |
| | Waist slab | 1 | 9.31 | 3.3 | 0.15 | 4.61 | | | | | | | |
| | Column | 3 | 0.3 | 0.45 | 2.77 | 1.12 | | | | | | | |
| | Beam | 1 | 9.54 | 0.3 | 0.3 | 1.29 | | | | | | | |
| | | | | | | | | | | | Total | 18.41 | One Cubic Metre |
| 6 | Centering and shuttering including strutting, propping etc. and removal of form for | | | | | | | | | | | | |
| | Foundations, footings, bases of columns, etc. for mass concrete | 6 | 5.4 | 0.4 | | 12.96 | | | | | | | |
| | Lintels, beams, plinth beams, girders, bressumers and cantilevers | 4 | 9.4 | 0.45 | | 16.92 | | | | | | | |
| | | 3 | 5.2 | 0.45 | | 7.02 | | | | | | | |
| | | 1 | 20 | 0.3 | | 6.0 | | | | | | | |
| | Columns, Pillars, Piers, Abutments, Posts and Struts | 3 | 1.36 | 0.7 | | 2.86 | | | | | | | |
| | | 3 | 1.36 | 1.7 | | 6.94 | | | | | | | |
| | | 3 | 1.36 | 2.77 | | 11.3 | | | | | | | |

| | | | | | | | |
|----|---|---|----------|-------|--------------|--------------|-------------------------|
| | Stairs, (excluding landings) except spiral-staircases | 2 | 4.7 | 3.3 | | 30.72 | One Square Metre |
| | | 2 | 3.5 | 0.45 | | 3.15 | |
| | | | | | Total | 97.87 | |
| 7 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. | | | | | | KG |
| | UNTO PLINTH | | QUANTITY | KG/M3 | | | |
| | Footing | | 4.32 | 60 | | 259.2 | |
| | Beam | | 3.59 | 100 | | 359 | |
| | Column | | 0.97 | 100 | | 97 | |
| | | | | | Total | 715.2 | |
| | | | | | | | |
| 8 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. | | | | | | KG |
| | UNTO PLINTH | | QUANTITY | KG/M3 | | | |
| | COLUMN | | 1.12 | 100 | | 112 | |
| | BEAM | | 1.29 | 100 | | 129 | |
| | STAIRCASE | | 4.61 | 100 | | 461 | |
| | | | | | Total | 702 | |
| 9 | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in Cement mortar 1:6 (1 cement : 6 coarse sand) | | | | | | One Cubic Metre |
| | side face | 2 | 3.8 | 0.6 | 0.23 | 1.05 | |
| | Mid | 1 | 3.8 | 0.6 | 0.23 | 0.52 | |
| | Backside | 2 | 4.65 | 1 | 0.23 | 2.14 | |
| | Back Wall | 2 | 4.65 | 2.77 | 0.3 | 7.73 | |
| | | | | | Total | 11.44 | |
| 10 | 12 mm cement plaster of mix : 1:4 (1 cement: 4 fine sand) | | | | | | One Square Metre |
| | Side Wall | 2 | 3.8 | 0.7 | | 5.32 | |
| | Back Side | 1 | 10 | 1 | | 10 | |
| | Elevated Wall Both Side | 2 | 10 | 2.77 | | 55.4 | |
| | | | | | Total | 70.72 | |

| | | | | | | | | | | |
|----|--|---------------------|---|----|------|--|--|--------------|-----------|-------------------------|
| 11 | Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade : New work (two or more coats) over and including water thinnable priming coat with cement primer | | | | | | | Total | 43.02 | One Square Metre |
| 12 | Providing and laying gang saw cut 30 mm thick, mirror polished pre moulded and pre polished machine cut granite stone of required size and shape of approved shade, colour and texture in footpath, flooring in road side plazas and similar locations, laid over 20mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand) including grouting the joints with white cement mixed with matching pigment, epoxy touch ups etc. complete as per direction of Engineer-in-Charge. With granite stone of colour black, cherry/ruby red of area less than 0.50 sqm. | | | | | | | | | |
| | | Steps | 5 | 10 | 0.45 | | | | 22.5 | |
| | | | 1 | 10 | 0.75 | | | | 7.5 | |
| | | | 1 | 10 | 0.5 | | | | 5 | |
| | | | 1 | 10 | 0.1 | | | | 1 | |
| | | | | | | | | Total | 36 | One Square Metre |
| 13 | Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of step and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. sqm 1063.45 | | | | | | | | | |
| | | Elevated Wall Front | 1 | 10 | 3 | | | | 30 | |
| | | | | | | | | Total | 30 | One Square Metre |

| | | | | | | | |
|----|--|----|--|--|--------------|-----------|-----------------------|
| | | | | | | | |
| 14 | Providing and fixing Stainless Steel Name Letters, of required size and style as directed by Engineer Incharge | | | | | | One Number |
| | Letters | 37 | | | | 37 | |
| | | 8 | | | | 8 | |
| | | | | | Total | 45 | |
| | | | | | | | |

Technical Specifications for Construction of back drop brick wall with 4 to 5 steps for snapping group photo near training hall at ICAR-CICR, panjari, khapriphata, wardha road, Nagpur

Specifications:

MINIMUM TECHNICAL SPECIFICATIONS, FOR CONSTRUCTION OF BACK DROP BRICK WALL WITH 4 TO 5 STEPS FOR SNAPPING GROUP PHOTO NEAR TRAINING HALL AT ICAR-CICR, PANJARI, KHAPRI PHATA, WARDHA ROAD, NAGPUR.

| S.N | Description of Item | Qty | Unit | Rate (RS.) | Amount (Rs.) Including GST |
|-----|---|-------|-----------------|------------|----------------------------|
| 1 | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil. | 21.00 | One Cubic Metre | | |
| 2 | Filling in plinth with morum | 10.49 | One Cubic meter | | |
| 3 | Providing dry/ trap/ granite/ quartzite/ gneiss rubble stone soling 15cm to 20cm thick including hand packing & compacting etc complete. | 2.10 | One Cubic meter | | |
| 4 | Providing and laying in position ready mixed or site batched design mix cement concrete for plain cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana/Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering and finishing as per direction of the engineer-in-charge; for the following grades of Concrete of M15 grade with minimum cement content of 240 kg /cum | 1.43 | One Cubic Meter | | |


| | | | | | |
|----|--|--------|------------------|--|--|
| 5 | Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) | 18.41 | one cubic metre | | |
| 6 | (Centering and shuttering including strutting, propping etc. and removal of form for) Foundations, footings, bases of columns, etc. for mass concrete | 12.96 | One Square Meter | | |
| 7 | (Centering and shuttering including strutting, propping etc. and removal of form for) Lintels, Lintels, beams, plinth beams, girders, bressumers and cantilevers | 29.94 | One Square Meter | | |
| 8 | (Centering and shuttering including strutting, propping etc. and removal of form for) Columns, Coloumns, Pillars, Piers, Abutments, Posts and Struts | 21.10 | One Square Meter | | |
| 9 | (Centering and shuttering including strutting, propping etc. and removal of form for) Stairs, (excluding landings) except spiral-staircases | 33.87 | One Square Meter | | |
| 10 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Tmt bar of grade fe500 d or more | 715.20 | KG | | |
| 11 | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. Tmt bar of grade fe500 d or more | 702.00 | KG | | |
| 12 | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in Cement mortar 1:6 (1 cement : 6 coarse sand) | 11.44 | One Cubic Meter | | |
| 13 | 12 mm cement plaster of mix : 1:4 (1 cement: 4 fine sand) | 70.72 | one Square meter | | |
| 14 | Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade : New work (two or more coats) over and including water thinnable priming coat with cement primer | 43.02 | One Square Meter | | |
| 15 | Providing and laying gang saw cut 30 mm thick, mirror polished pre moulded and pre polished machine cut granite stone of required size and shape of approved shade, colour and texture in footpath, flooring in road side plazas and similar locations, laid | 36.00 | One Square meter | | |

| | | | | | |
|----|--|-------|------------------|--|--|
| | over 20mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand) including grouting the joints with white cement mixed with matching pigment, epoxy touch ups etc. complete as per direction of Engineer-in-Charge. With granite stone of colour black, cherry/ruby red of area less than 0.50 sqm. | | | | |
| 16 | Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of step and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. | 30.00 | One Square Meter | | |
| 17 | Providing and fixing Stainless Steel Name Letters, of required size and style as directed by Engineer Incharge | 45.00 | One Number | | |


21/12/24.


(Puneet Kumar)
Administrative Officer
ICAR-CICR, Nagpur

DRAWING OF CONSTRUCTION OF BACK DROP BRICK WALL



- S.S LETTERS
- SANDSTONE DESIGN VITRIFIED TILES
- STEPS
- +G.L.

BACK DROP WALL 3M



- +4.000 BACK WALL
- +1.000 PLATFORM
- +0.850 ROW 05
- +0.700 ROW 04
- +0.550 ROW 03
- +0.400 ROW 02
- +0.250 ROW 01
- +0.100 CHAIR SEATING ROW
- +0.00 G L

PROPOSED PLAN

PROJECT:
CONSTRUCTION OF BACK DROP BRICK WALL WITH 4 TO 5 STEPS FOR SHAPPING GROUP PHOTO-NEAR TRAINING HALL AT ICAR-CICR NAGPUR

TITLE:
PROPOSED PLAN



CLIENT:



CONSULTANT:



DRAWING NO:2



SCHEDULE OF FOOTING

| FOOTING | VALUE | DEPTH | REMARKS |
|---------|------------|-------|---------|
| F1 | 3500 X 500 | 450 | FOOTING |

SCHEDULE OF PLINTH BEAM

| BEAM | PLINTH BEAM SIZE | REMARKS |
|------|------------------|-------------|
| P1 | 300 X 400 | PLINTH BEAM |

SCHEDULE OF BEAM

| BEAM | CONCRETE RATIO BEAM | REMARKS |
|------|---------------------|---------|
| B1 | 100 X 400 | |

SCHEDULE OF COLUMN

| COLUMN | SIZE | REMARKS |
|--------|-----------|---------|
| C1 | 300 X 300 | |

PROJECT:
CONSTRUCTION OF BACK DROP BRICK WALL WITH 4 TO 5 STEPS FOR SHAPPING GROUP PHOTO NEAR TRAINING HALL AT IZAR-CICR,NAGPUR

TITLE:
FOOTING PLAN

CLIENT:



CONSULTANT:



100